

Reframing Assistive Robots to Promote Successful Aging

HEE RIN LEE and LAUREL D. RIEK, UC San Diego

We are living in an exciting time, as people are living longer, more active lives. This is reshaping how we think about aging. Rather than viewing aging as a problem to be fixed (i.e., a deficit model of aging), many aging researchers are viewing aging as a developmental stage of life to be celebrated and supported, that is, “successful aging.” In this article, we embrace this approach and consider it in the context of assistive robot design in an aim to steer the conversation away from deficit models that have limited robot design possibilities. To explore an alternative design approach to the study of aging in human-robot interaction (HRI), we invited five aging researchers (three geriatricians, one gerontologist, and one epidemiologist) and nine older adults to participate in our research. In the study, participants illustrated their interpretations of aging and suggested potential assistive robots. We found that while all participants perceived the importance of potential disabilities due to aging, they considered potential disabilities as only one aspect of the experience of aging. They highlighted other key themes to consider in designing robots to support successful aging, such as older adults’ autonomy and resilience. We discuss these findings for the HRI community and call for “robots for successful aging.”

CCS Concepts: • **Computer systems organization** → **Robotics**;

Additional Key Words and Phrases: Successful aging, health care robotics, assistive robots, participatory design

ACM Reference format:

Hee Rin Lee and Laurel D. Riek. 2018. Reframing Assistive Robots to Promote Successful Aging. *ACM Trans. Hum.-Robot Interact.* 7, 1, Article 11 (May 2018), 23 pages.
<https://doi.org/10.1145/3203303>

1 INTRODUCTION

Owing to an increase in life expectancy and a decrease in the fertility rate, population aging has become an important social issue [6, 76]. As the first wave of the baby boomer generation (born after World War II) reached age 65 in 2012, people over 65 began to outnumber their younger cohorts. The United Nations (UN) reported that those aged 60 and over will make up 25 percent of the population in North America and Europe by 2030 [76]. Because of considerable changes in population age structure, the UN suggested that governments design policies to support possible issues that older adults will face (e.g., housing, employment, health care, social protection).

Policy makers and other government officials have looked to robots as one method to address issues that the aging population faces, and many researchers in the robotics community have explored the use of assistive robots for older adults [10, 22, 58, 62, 75]. However, despite decades of assistive robotics research yielding a range of research prototypes and commercial products, older adults rarely adopt assistive robots in their lives [26, 29, 66].

Authors’ addresses: H. R. Lee and L. D. Riek, Computer Science and Engineering, UC San Diego, La Jolla, CA 92093, USA; emails: {heerin, lriek}@eng.ucsd.edu.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2018 ACM 2573-9522/2018/05-ART11 \$15.00

<https://doi.org/10.1145/3203303>

Human-robot interaction (HRI) researchers have identified several reasons behind the low adoption rate of assistive robots. First, current assistive robots are too difficult for older adults to use and are not well suited to the environments in which they are deployed [62, 66]. Second, poorly designed hardware hinders older adults' adoption of robots since people do not want to look strange or stand out by using strange-looking technologies [62]. Third, many older adults have negative reactions toward assistive robots owing to the fact that the framing of technology tends to present stigmatized or stereotyped images of aging. For example, assistive robotics research on the whole tends to negatively describe aging as a problem and to foreground older adults' potential disabilities. Older adults tend to react negatively to this framing [46, 53, 79].

To increase the acceptance of assistive robots, researchers have employed user-centered research approaches that invite older adults into the assistive robot design and evaluation process [9, 15, 23, 78]. As older adults become more involved in the research process, they have had more opportunities to express their perspectives on aging. The integration of their input has the potential to increase the acceptance of assistive robots.

However, a majority of these studies to date continue to follow a deficit model of aging and tend to focus on older adults' potential disabilities [66]. A *deficit model of aging* characterizes the normative course of aging as a series of losses [7]. This framing tends to restrict the design possibilities for robots. For example, two of the most dominant types of existing assistive robots have either semi-humanoid or zoomorphic appearances and are intended to fill service or companionship roles [14]. However, there are a plethora of other possible morphologies and roles for robots in the lives of older adults that remain underexplored [62]. While the previous articles have critiqued how assistive robot designs reflect aging as a problem to fix, they have not yet suggested alternate possibilities for design [46, 53, 79].

In this article, we explore an alternative design approach to the study of aging in HRI. Rather than following a deficit model, we explore how a *social model of aging* (from sociology) and a *successful model of aging* (from gerontology) could be reflected in assistive robots for aging [5, 33]. As a critique to the clinical model of disability, sociologists have suggested employing a social model of disability, which argues that disability is caused by a society rather than by individuals' biological impairments. This approach has been largely used to address public health policies for people with disabilities. Also, we employ a multifactorial model of successful aging, which contains interrelated components such as physical functions, social engagement, and self-confidence [33]. Both approaches define aging as holistic experiences with multidimensional factors.

To uncover alternative views on aging in the context of HRI, we invited key stakeholders to engage in assistive robot design research with us. These included five aging researchers (three geriatricians, a clinical psychologist, and an epidemiologist) and nine older adults. We began by asking stakeholders to describe their understanding of aging from their own perspective. After participants defined the meaning of aging from their own perspectives, they envisioned possible robot designs for aging interpreted (see Section 3). Throughout the interviews, we found that all participants perceived potential disabilities as important issues related to the experience of aging. However, at the same time, they felt that disabilities were only one aspect of aging and should not be a sole defining factor. The participants suggested alternative roles and functions for robots, such as robots that provide sympathy and active listening, robots that are personalizable, and robots that support an older adult's existing ability (see Section 4).

When the participants framed their aging experience and envisioned robots for aging, they followed social and successful models of aging rather than a deficit model of aging. The participants described older adults as people who have their abilities and robots as supporters that strengthen older adults' existing abilities. The participants did not represent older adults as people who are losing their abilities owing to aging and need help to regain what they have lost.

Social and successful models of aging were reflected as a new design theme from the participants' framings. Considering this new view on aging, assistive robots might not be the right framing for studies investigating aging in HRI since "assistive" robots imply that the robots' goal is providing assistance and represent older adults as people who need to fix aging-related problems (see Section 5). In our conclusion, we call for robotics researchers to consider "robots for successful aging" as an alternative framework to study aging in HRI.

2 BACKGROUND

2.1 Assistive Robots in HRI

In this section, we explain (1) how assistive robots for older adults emerged in HRI, (2) how assistive robots aim to tackle the potential declines of older adults, and (3) how "aging in place" became the prevailing paradigm of assistive robots.

Socially assistive robots (SARs) have stimulated the growth of assistive robotics research for older adults in HRI [20, 75]. In contrast to physically assistive robots (e.g., smart wheelchairs [68, 71]), SARs were designed for social interaction with humans. Older adults became a popular user population for SARs since the exponentially increasing older adult population was expected to cause insufficient numbers of formal and informal caregivers [20, 75]. In this framing, older adults were often considered a societal burden and were portrayed as people with potential declines. Considering this continued representation, current assistive robots are often designed to fix or compensate for decline across physical, cognitive, and/or psychosocial dimensions [66]. We describe these compensatory framings below.

Physical Compensation: A number of assistive robots aim to alleviate physical declines, which refer to older adults' ability to manage their bodies (e.g., mobility) and to perform their daily tasks (e.g., bathing, cooking, eating). Other systems aim to act in a preventive fashion, such as to help avoid falls, which causes thousands of fatal and debilitating injuries per year [62]. As technical solutions for physical decline compensation, HRI researchers developed assistive robots such as Hobbit [21] and Care-O-bot [35] that perform various daily tasks (e.g., fetch and carry, fall monitoring). These robots are also known as service robots since their semi-humanoid bodies (e.g., robotic arms) perform various tasks in older adults' homes [14, 35].

Cognitive Compensation: HRI researchers have explored how assistive robots might compensate for cognitive impairments, including mild memory loss [27, 28] to more severe forms of dementia [49]. Assistive robots have been used to provide support for medication management, making appointments, and supporting cognitive wellness through daily interactions [28, 61, 67, 74]. Companion-type robots such as Paro (a zoomorphic robotic seal) have been used to perform non-pharmaceutical interventions for people with dementia (e.g., calming patients down without medication) [49]. It is worth noting that there is a paucity of strong clinical evidence to demonstrate whether these interventions are effective [61, 62].

Psychosocial Compensation: Loneliness and social isolation are two problems faced by older adults, which can exacerbate the negative experiences of physical, behavioral, and cognitive changes with age [70]. Two types of robots are frequently discussed in the literature to provide psychosocial compensation: companion robots (e.g., Paro and iCat [30]) and telepresence robots (e.g., Ed and MRP [10, 11]). Assistive robot studies investigating support for psychosocial changes have particularly focused on a robot's social presence or agency.

2.2 User-Centered Approaches for Assistive Robot Design

As previously discussed, HRI researchers have developed a number of assistive robots based on their understanding of older adults. However, older adults have not adopted these robots to the

degree that researchers expected [13, 22, 26]. The narrow market of assistive robots may be contributing to older adults' low acceptance of the robots or it may be owing to the level of technical complexity and poor usability of robots. While researchers have discussed the adoptability issue, there is a lack of detailed analysis as to the reasons.

To understand the aging experience of older adults, researchers have often employed human-centered research approaches. In these studies, older adults were given more opportunities to explain their ideas about assistive robot designs and played a more active role in assistive robotics research. For example, Beer et al. [9] conducted a needs assessment with older adults that aimed to understand how older adults wanted robots in their homes to assist them (e.g., cleaning, fetching, and organizing). They introduced a PR2 robot to participants and described its functions. Older adults then discussed what tasks the PR2 could perform in their homes.

Caleb-Solly et al. [15] performed robot design workshops with older adults, asking them about possible designs and tasks that could be built into domestic service robots. Inspired by cultural probes [24], the researchers conducted an open-ended study to incorporate older adults' perspectives more actively.

Lee et al. [42] employed a participatory design approach that allowed older adults to be co-designers in the assistive robot development process. The older adult participants not only expressed their ideas about robots but they also influenced the researchers to alter their research process. For example, the researchers originally planned to add more technical components (such as sensors) in their workshops. However, the researchers changed their plans when participants expressed concerns about the potential difficulties of working with technical robot components.

2.3 Critical Perspectives on Aging: Moving Beyond Declines

Recent literature suggests that HRI researchers' tendency to negatively frame aging contributes to older adults' limited acceptance of assistive robots [46, 53, 79]. The studies conducted in-depth interviews with older adults about existing assistive robots and commonly asked whether "you" (the participants themselves) would use the robots. Although older adults reported that the robots would be useful for someone else, they rejected the robots for themselves. The researchers argued that older adults felt stigmatized because assistive robot designs depicted older adults as people with disabilities.

The authors suggested that HRI researchers critically examine their assumptions about older adults and whether they considered older adults as people with disabilities. As the studies discussed, from the older adults' perspectives, their impairments can be considered just one aspect of their lives [46]. Along with implying that HRI researchers embrace a social model of aging, this framing also suggests improving their cultural competency in thinking about disability (e.g., a person is more than the disability) [19].

Researchers' negative perspectives on older adults and aging have been investigated outside HRI in fields such as sociology, gerontology, and HCI. The studies commonly point out the existing emphasis on a deficit model of aging, which interprets aging as a process of losses [7] and problematizes aging bodies [34, 36, 39, 77]. Similar to the deficit model of aging, the clinical model of disability also problematizes disabled bodies and considers those bodies as problems to be fixed [33]. As a critique to the clinical model of disability, sociologists suggested employing a social model of disability, which argues that disability is caused by society rather than by individuals' biological impairments [59]. For example, people with wheelchairs feel disabled when moving around a city not because of their biological conditions but because public infrastructure was designed without considering wheelchairs.

In HCI, researchers scrutinized previous notions of aging within assistive technology studies and found that HCI researchers also followed a deficit model of aging. They critiqued how

assistive technology designs reflect negative perspectives on older adults [39, 77]. Vines et al. [77] analyzed how aging has been stigmatized and problematized in assistive technology studies through meta-analysis of previous HCI literature. Lazar et al. [39] critiqued existing notions of aging, particularly dementia, as a problem in assistive technology research and suggested adopting critical perspectives on dementia.

In this article, we explore alternative ways to frame aging in assistive robotics. In particular, we aim to avoid a deficit model of aging and a clinical model of disability. These models explain aging as a process of losses. We define aging as a natural developmental stage of life. As part of this process, people will experience age-related changes. In some cases, chronic or severe health conditions could result in impairment (problems in body functions or structure [55]) or disability (consequences of impairment in terms of functional activities [55]) within the process. However, age-related changes do not always indicate disability or impairment. This article sheds light on aspects of aging less discussed in the literature, such as how older adults can be resilient to changes related to aging or how they can maintain their autonomy. We uncover these concepts by employing a human-centered research approach that helps us learn about aging from our participants' perspectives. Also, we investigate alternative robot designs for aging developed based on our participants' interpretation of aging.

3 PARTICIPANTS AND METHODS

3.1 Participants

We included two types of participants in our research: older adults and aging researchers (e.g., geriatricians). Older adults are key stakeholders since they are the primary users of assistive robots and are themselves experiencing aging. We invited aging researchers in order to understand the multifaceted aspects of aging. In particular, we were curious how aging researchers avoid stigma and negative interpretations of aging when they deliver care to older adults or include them in research.

We carefully interpreted the two perspectives of older adults and aging researchers. Through our analysis process, we tried to avoid valuing aging researchers' perspectives more than older adults' perspectives, as the researchers are often considered to be more qualified knowledge makers. For example, when conducting our data analysis, we investigated how the two perspectives are related to each other instead of examining whose perspective is more accurate for explaining aging. It is important to scrutinize the relationship between the perspectives in order to avoid ignoring the perspectives of those who tend to be marginalized in research (such as people with disabilities) [8, 18, 61, 62, 65, 73].

To represent our participants as distinct individuals in our data analysis, we assigned each participant a pseudonym rather than assigning an impersonal code name (e.g., p1 or p2). We chose these pseudonyms by searching for popular names from the year that participants were born, for example, based on US Social Security Administration records [69]. Pseudonyms helped us represent our participants as actual individuals with their own voices and perspectives based on their experiences.

3.1.1 Older Adults. We recruited nine older adults through snowball sampling, local events, and word of mouth. Six older adults were from a Midwest town in the United States and three from Southern California. Their ages ranged from 62 to 85 years (mean age = 69 years old). Five participants were female and four were male, all were white.

All participants were retired. Two participants live in independent-living facilities [51] and seven live in their own homes. Four participants live alone and five participants live with either partners or spouses. Four participants stated that they were experiencing gradual changes in their

cognitive abilities (e.g., memory loss), but all participants were cognitively capable to consent to the study. One participant had a physical impairment and had difficulties moving half of her body.

We adhered to institutional review board best practices when collecting health-related information. Participants could offer this information or not as they wished. Older adult participants shared such information of their own free will throughout the design process.

3.1.2 Aging Researchers. We recruited three geriatricians with MDs, one clinical psychologist with a PhD, and one epidemiologist with a PhD. All five researchers are affiliated with an aging research unit at a US-based medical school. Three geriatricians are primary care physicians, and one is a geriatric psychologist. The aging researchers have either practiced or studied for 15 to 30 years, and all have served as faculty. Their ages ranged from 46 to 76 years old (mean age = 58 years old). Three participants were female and two were male.

In their own research, several of these researchers investigate holistic approaches for aging as an alternative to the deficit model of aging. For example, several investigate the role of community in aging and also explore positive aspects of aging, such as gaining wisdom.

3.2 Methods

Since we are exploring alternative approaches to reframe aging in HRI, we aim to understand how participants frame aging from their own perspectives. To uncover how participants frame aging, we employed collaborative design methodologies [40, 43]. These provide comprehensive methodological tools, including the means for understanding participants' situations, techniques to examine existing technologies, and methods for envisioning alternative technologies. In particular, the methodologies allow participants to have power to address their ideas rather than passively answer questionnaires developed by researchers. We employed three collaborative methods: collaborative map making [47] for understanding participants' interpretation of aging, artifact analysis [43, 44] for reviewing existing robots, and envisioning robot design possibilities [41, 45].

Most participants (12/14) determined the interview locations, since we wanted research settings where they felt comfortable expressing their perspectives and to have active roles in research. We met researchers in their offices, and older adults in cafes, community centers, and their own homes.

To adapt to participant scheduling constraints, we adjusted our research processes accordingly, though maintained a consistent structure. Due to the busy schedules of the researchers, we could only spend 30 to 45 minutes with each of them. With the older adults, we spent 45 minutes to 2 hours. We considered this as an opportunity to understand older adults more thoroughly, considering aging researchers have had more experience academically reflecting upon aging.

3.2.1 Collaborative Map Making: Understanding Aging. We chose collaborative map making [47] as a first step to understanding how participants interpret and frame the experience of aging. Rather than developing specific questionnaires, we provided only three keywords that we were interested in to minimize our influence on participants. For the older adults, the keywords were "aging," "home," and "me." For the researchers, we provided "aging," "older adults," and "independent lives." Both "aging" and "me" (or "older adults") were chosen for both groups as they are core concepts in the use of assistive robots for aging. We chose "home" for older adults and "independent lives" for researchers based on the concept of "aging in place" common in both the existing assistive robotics and aging research literature [21, 23, 30, 51, 80].

For older adults, we provided "home" as a keyword because "aging in place" implies enabling older adults to live in their homes as long as possible [9]. For researchers, we provided "independent lives" since we wanted to examine whether the research participants have the same assumptions about "aging in place" as HRI researchers.




Fig. 1. Materials used in the artifact analysis.

Procedure: First, we provided three keywords to participants. We asked participants to write any words that they thought were related to the three keywords on Post-it notes (Figure 1). After writing 6 to 15 keywords, we first asked participants to categorize the words without providing any specific rules to group them; then, we asked them to make a title for each group. After finishing categorization, participants were asked to pick one to three of the most important words in their maps. After participants finished making their maps, we asked participants to explain their maps and to illustrate how they developed their maps and how they interpreted the three keywords.

3.2.2 Artifact Analysis: Reviewing Existing Robots. Artifact analysis allows participants to examine existing robots based on their own evaluation criteria so that researchers can understand participants' perspectives on robots [43, 44]. We particularly utilized artifact analysis to explore how existing robots would fit into participants' maps of aging. Since researchers reported that older adults should determine the appropriate appearance and functions of assistive robots, they spent less time reviewing robots.

Research Materials: We prepared both videos and pictures of existing robots (Figure 2). Since existing studies found that older adults dislike the existing assistive robots owing to stereotyped representations of themselves, we included both assistive robots (e.g., Care-O-bot [60], Ri-Man [54]) and nonassistive robots (e.g., Jibo [1], AUR [31], Relay [2], WowWee MiP [4]; Figure 3). To avoid limiting participants' imaginations, we also provided various types of cyberphysical technologies, such as smart refrigerators and emergency pendants.

Procedure: After viewing pictures and videos of existing robots, participants were asked to freely express their thoughts about the robots. For example, we asked whether participants think the robot is appropriate for older adults or whether they think the robots can address the issues discussed during collaborative map-making sessions. They also were asked to choose their favorite and least favorite robot.

3.2.3 Envisioning Robots for Aging. After reviewing robotic possibilities, participants went back to the map to think about possible robots that would fit their experience with aging and/or aging research. Participants explained their ideal robots for aging and sketched robots together with us as described in work by Lee et al. [41, 45]. While sketching robots, we asked how the robots would interact with them. For example, "How does your robot report it finished the task?" or "What is the most important task that you want your robot to do?"




Fig. 2. Patricia’s map of aging (F, retired, 63).




Fig. 3. Tammy’s artifact analysis session (F, geriatrician with over 20 years experience).

3.3 Analysis

We transcribed all the interviews and performed “theme-by-theme coding” following Grounded Theory [16]. Rather than examining data based on predefined hypothesis, Grounded Theory helps researchers to uncover emerging themes out of interview data. Through this bottom-up approach, we carefully analyzed participants’ perspectives rather than interpret them through a deficit model of aging.

Along with the interview analysis, we examined participants’ maps of aging. Following Lee et al. [47], we analyze how each participant’s map of aging can be connected to each other (e.g., how the most important words are related to each other).

4 RESULTS

4.1 Age-related Changes Do Exist, but Changes Are Only One Aspect of Aging

From the aging map-making process, we learned how older adult participants understand and frame their experience with aging as well as how research participants interpret aging. One of the most salient themes concerned the changes that older adults face through aging. However, the most important words that all participants from the two groups selected were not about the changes but instead included ideas such as older adults' autonomy, resilience, and financial situations.

4.1.1 Aging is About Maintaining Older Adults' Existing Abilities.

Researchers' Perspectives: The most commonly used words on the researchers' maps of aging were about "mobility," "cognition," and "social connectedness."

All five researcher participants selected mobility as a keyword that explained aging, older adults, and living independently. Researcher participants sometimes referred to mobility as a "physical" ability or being about "maintaining function." The participants commonly related mobility to older adults' capability to perform activities of daily living (ADLs): for example, walking, toileting, dressing, and feeding [37]. One research participant categorized mobility into "mobility in the home" and "mobility outside home."

Four out of five researcher participants also chose "cognition" as a common word to describe the keywords that we presented. The participants described cognition with words such as "cognitive," "mental," "cognition," or "cognitive intactness." The researchers often connected cognition to the ability to perform instrumental activities of daily living (IADLs): for example, managing medications and finances, managing transportation, shopping, and meal preparation.

"Social connectedness" was one of the most commonly used words, mentioned by all of the researchers. They used words such as "connections," "social supports," or "social interactions." Some researcher participants added words such as "intergenerational," "socialization," and "being able to communicate" under "social connectedness." When explaining connectedness, the connection was not just with people but also with animals.

Mobility, cognition, and social connectedness have also been similarly discussed in HRI; a number of studies investigated robots' capabilities as a way to compensate for losses related to the three [66, 72]. Smarr et al. [72] developed possible tasks for assistive robots based on ADLs and IADLs and investigated older adults' preferences among the tasks. Begum et al. [11] evaluated teleoperated robots to support ADLs of older adults with dementia. However, in the majority of prior studies in HRI, the relationships between these three concepts have rarely been explored. In contrast, three-quarters of the aging researchers discussed how the three are interconnected. This concurs with the biopsychosocial model, a philosophy in health care that considers health broadly, from the molecular to the social [12, 25]. Geriatricians, in particular, are likely to be trained to consider this perspective [50]. Furthermore, they discussed these themes in terms of the crucial abilities/capabilities of older adults, which serves as a contrast to typical deficit-focused technological research. As Angela, a researcher, said:

Even if you have none of the first three [mobility, cognition, and access (to) resources; Figure 4], if you have social support then you may be in a sense able to live independently in the community. (F, geriatrician with over 20 years experience)

Older Adults' Perspectives: Unlike research participants' maps, older adults' maps were diverse and used various terms to explain their situations. However, we found that all older adult participants often explained changes that they were experiencing through aging as one of the most common themes. Similar to HRI researchers' and aging researcher participants' understanding of aging, older adults pointed out their physical and cognitive changes in their aging experience.




Fig. 4. Angela’s map of aging (F, geriatrician with over 20 years experience).




Fig. 5. William’s map of aging (M, retired, 75).

All older adults employed words describing their physical, cognitive, and social relationship changes. Older adult participants used various terms to explain the physical changes, including “physical condition,” “Exercise—use it or lose it,” and “challenges.” Although only two of the nine participants had considerable physical impairments, all participants described their physical changes in their bodies. Along with physical changes, some participants also mentioned their cognitive changes with the words “mild memory loss” and “mental health.”

Although the older adults explained physical, cognitive, and social relationship changes in similar ways to HRI researchers and aging researchers, the older adults discussed them in a different way. They did not explain the three themes in terms of a dichotomy of ability and disability. Rather, they were explained in terms of their health condition. For example, in the map of William (M, retired, 75), he employed the words “physical condition” and “mental health” to explain his physical and cognitive changes (Figure 5). As any other people regardless of age, the older adults wanted to maintain their health through exercise.




Fig. 6. Scott’s map of aging (M, clinical psychologist with over 15 years experience).

4.1.2 Different Aspects of Aging Other than Potential Changes.

Importance of Resilience when Facing Changes: Although potential physical, cognitive, and psychosocial losses were discussed as meaningful words for aging, both researchers and older adult participants addressed the importance of resilience.

Two of the five researchers commonly addressed how older adults’ capability to be resilient through the changes of aging is crucial. They said that people have misconceptions about disabilities and might believe that people with severe changes would not be as happy as they were before. However, some argued that this is not always true, as Scott (M, clinical psychologist with over 15 years experience) said:

A lot of times people associate disability directly with quality of life. For example, if you are suddenly in a wheelchair, one would assume your quality of life goes down. A lot of people with wheelchairs do fine because they are *resilient*, they compensate, they can continue on doing the things they want to do.

As described in the map in Figure 6, Scott considered adaptability to be more important than capacity or disability. He explained that the map shows how disability could be filtered through adaptability in older adults and how older adults can maintain their quality of life even with disabilities.

Similarly, Arvind, a geriatric psychiatrist, argued that disability does not always refer to ruining a perfectly healthy life. He (M, a geriatric psychiatrist) said:

[The person] might be a perfectly healthy person. Perfectly physically and cognitively healthy, but the person might be depressed. That is not good. On the other hand, a person with a disability ... like someone with a wheelchair, may be a very happy person.

The aging researcher participants’ arguments resonated with older adult participants’ attitudes toward their physical and cognitive impairments. As described previously, all older adult participants mentioned that they were experiencing physical and cognitive changes. However, those




Fig. 7. Tammy's map of aging. (F, geriatrician with over 20 years experience).

changes do not entirely determine who they are as people, although they describe that the changes are not very pleasant experiences. For example, one of our participants with considerable physical impairments said that realistically accepting who she is helps her continue to be happy, which is important to her.

Older Adults' Autonomy Supporting their Independence: Similar to the importance of resilience over potential disabilities in aging, Tammy, a research participant, argued for the importance of “autonomy” and “choice” to maintain older adults’ independence. In her map of aging, Tammy (F, geriatrician with over 20 years experience) marked “independence” as the most important word and that it encompasses two words, “autonomy” and “choice” (Figure 7). She explained independence in her map as follows:

“Being independent” means they are able to have a choice where they live and how they live. And do the things they want to do, which over time, that can really change. And so ... that’s what this is about.

When she described the meaning of independence, she mentioned how her 85-year-old father had a choice to determine wherever he wanted to live. She explained that independence is not just about staying at home as long as possible, but it is more about older adults autonomously making their decisions.

The geriatrician participant’s definition of independence was also reflected in one of our older adult participants’ experiences moving out from her own home to an independent living facility. In her map, the participant explained how fortunate she is, since she can still enjoy her life at the age of 85. When asked her about her transitioning from the previous home to her current one, she said that she moved because of her knee surgery. We asked whether she would stay in her previous place if she could manage herself with her ideal domestic robot. She answered:

No, I like it here better than living alone. Don’t think a robot would help ... There’s more going on here. Lots of good people to socialize with. Good, healthy food. Lots of exercise classes and intellectual stimulation. Cleaning lady once a week. Movies



Fig. 8. Jean's map of aging (F, Manager, 65).

4-5 times a week. Maintenance taken care of. Medical care available, limited but 24/7. Much more lively, safe, and healthy than living alone (Barbara, F, retired, 85).

Although Barbara said that the transition was not very easy, her answer to our question shows how the current understanding of independence in HRI is limited.

Currently, following the focus of “aging in place,” a majority of assistive robots are service robots that aim to help older adults stay in their homes. In a number of studies, being independent indicates staying in the home, which can certainly be a factor in older adults realizing independence. However, staying in the home as long as possible might not be the only way to maintain an independent life. What is more important than staying in the home is whether older adults can make choices and have the power to decide what they want to do.

Importance of One's Financial Situation: Three of the five researcher participants addressed the importance of financial conditions in aging. One of the researcher participants compared robots to medicine and other resources for older adults to argue the importance of considering the financial situations of older adults. She said:

It's totally important because, no matter where you go, everything is driven by money. So ... that's why we can offer great access and things to help older people, but if they can't pay for it, it won't make any difference. We already have problems with drugs. Or physical therapy or home health physical therapy ... occupational therapy, getting them meals, getting them eyeglasses, getting them dental care. All of that so ... doing fancy robotics might not make any impact because there are limited resources (Angela, F, geriatrician with over 20 years experience).

Most of the older adult participants talked about their financial situation as one of the most important components for aging. Since all older adults were retired, they did not have regular income in most cases. As the participants experienced physical and cognitive changes, they needed medicine and other resources accordingly. The map of aging (Figure 8) developed by one of the older adults shows how funds are critical in her life. Her shortage of “funds” (a word from Jean's

map, see Figure 8) fuels her most serious “fears” (a word from Jean’s map, see Figure 8) rather than having an incurable disease, which might take her voice away sometime soon.

The financial situations of older adults have rarely been reflected in the design of assistive robots. This may be due to various reasons (e.g., robot materials are expensive, robotics researchers are not concerned about bringing products to market, and so forth). However, this is problematic, as the cost of robotics technology greatly affects the likelihood that it will be adopted and used [62], and many older adults face difficulty meeting their basic needs. When designing assistive robots, it is important to not only consider the physical, cognitive, and social conditions of older adults but also to consider their financial situation. Other studies also addressed the importance of socioeconomic situations when designing technologies [17, 57].

4.2 Reaction to Existing Robots for Aging

4.2.1 Aging is Heterogeneous. When we showed existing robots and their potential functions to researcher participants, they were reluctant to express their ideas. All researcher participants (except one) said that we need to talk to older adults for this. Researchers said that aging is a very heterogeneous experience and they cannot come up with a universal model of aging experience. When asked whether the researcher participants could at least tell what the general age for older adults to use the technologies might be, Angela, a geriatrician, said:

I’ve got [patients] 97 years old who would not need anything. And I’ve got patients 58 years old who would need wheelchairs. You can call that advanced physiological age; [it’s] not necessarily about chronological age.

The research participants strongly emphasized that robot design should seriously avoid stigmatizing older adults. Three of the five researcher participants said that we should ask older adults about nonstigmatizing robot designs. The researcher participants explained that they cannot tell what is less stigmatizing because they are not older adults and have different perspectives. The researchers suggested several ways to avoid stigmatization related to the existing assistive devices. For example, three participants suggested designing “cool”-looking devices. Tammy, a research participant, gave an analogous example of walking sticks to canes, and said:

Some people refuse to use canes but they use walking sticks. And they (the walking sticks) may not be as effective as the canes in a way... but it’s better than not having anything, so they use walking sticks. (Tammy, F, geriatrician with more than 20 years of experience)

When explaining the meaning of “cool” designs, one participant mentioned smartphones as an example of a technology that everyone wants to have. She said:

This (iPhone) is classic example. Everyone wears it. Everyone can’t be away from it. You know. It’s in part cause it does so much cool stuff. And this is relatively the right size although I broke the screen and I have a screen cover I can change. It is pretty well there wherever I go. This is of course the perfect example of some technologies that we use in our daily lives. (Tammy, F, geriatrician with more than 20 years of experience)

The participants also suggested “customizable design” and “marketing” as additional solutions. This reflects findings from other researchers on the importance of nonstigmatizing design of technology as a key factor in its adoption [62, 65].

4.2.2 *I Don't Like Assistive Robots but I Might Need a Little Help, as Everyone Does.* The previous studies argued that stereotyped representations of older adults reflected in assistive robot design can cause older adults to have negative reactions. Considering the findings, we showed participants both assistive robots and nonassistive robots. Nonassistive robots included entertainment robots (e.g., the WowWee MiP) and robots for everyone (e.g., Jibo or Roomba). Since entertainment robots have not been built with assumptions that their users would experience declines, we expect that older adults might like those.

However, the older adult participants considered the entertainment robots as toys and perceived that they were not intended for them either. Rather, 7 out of 9 older adult participants tended to choose robots that were meant to be used by anyone, such as AUR (an automated lamp) [31], Roomba, a smart refrigerator (providing a list of food in it), and Relay (an autonomous delivery robot) [2].

4.2.3 *I Don't Like Robots Watching Me All the Time but I Want to Monitor Myself.* About half of the participants expressed their concerns about robots that monitor older adults all the time. Kathleen, an older adult participant, compared the robots' monitoring function to surveillance cameras in public spaces and explained how people in her generation are sensitive to those. She said:

That some of the things that younger Americans take for granted nowadays, like having the cameras that are suspended in wires in street intersections. I find it extremely disturbing. You will never have found this in the 1960s or 1970s of America. Absolutely not. People have been having fears about it. There is an entire generation now that takes them for granted. (Kathleen, F, self-employed, 72)

However, at the same time, older adults wanted to monitor themselves and preferred to have wearable sensors over which they would have all control. Similarly, Robert, an older adult participant, said it is essential for him to make sure that he has full control over the autonomy of robots. He said:

In the scientific book "1984," there is a dark side of robots; those robots are watching you. The big brother, government bad guys are controlling what you think; if you don't do things they want to do, they take you away. It's very scary and I'm worried things can go wrong. I don't like everything being controlled by computers. I like to set them myself, manually controlled. (Robert, M, retired, 62)

4.3 Envisioning Robots for Aging

After discussing how aging researchers and older adult participants frame aging and how they interpret existing robots, they envisioned possible robots for aging.

4.3.1 *Robots with Sympathy.* Arvind, an aging researcher, suggested a robot with sympathy. The robot plays the role of a listener as a passive actor rather than taking an active role within their interactions with older adults. The robot expresses its sympathy toward older adults rather than providing information; thus, it does not need to be smart or informative. Also, the robot tries to connect the older adults to other people rather than trying to become their companion. The researcher participant provides the potential persona of the robot's user as follows:

I am thinking about somebody who is, say, ... 85 years old. He is living by himself. He has some arthritis and some difficulty walking and some diabetes. I think he is reasonably independent. He does not need assistive living. And ... but he is limited. He can't walk a mile on his own without help. He has a mild cognition issue but

is not demented or not cognitively impaired. Feels lonely. There is no purpose to his life. And... depressed. And... so... living from day to day and trying to find something that would excite him and how to find something on a consistent basis. (Arvind, M, geriatric psychiatrist with about 35 years of experience)

The researcher participant explained that this person needs consistent and positive stimuli, and persistence and consistency are the key for the interactions. He also explained that human actors might not be as persistent and consistent since they also have emotions. He said:

Listening is important. And sometimes [you ask], who cares about him a lot? Nobody cares about them. Nobody will listen. Who wants to listen to an 85-year-old person talking about all his arthritis and consistent pain?

Arvind also envisioned the interaction between the older adult and the robot as follows:

The robot doesn't need to be a genius robot. Better not to be. But it is positive. It is like what you would like a human supporter to be like. Somebody who can understand is sympathetic. And yet. Who is more ... not overwhelmingly positive." Oh yes. Things would be fine... you will be just fine... No that is not helpful. Oh... you did not have a nice sleep... You know what, it happens. Tomorrow will be a better day. You will do fine. But just tell me about what I can do to help you." Something like that. Where there is support and the person just wants to talk and the robot just listens.

The suggested role of a robot with limited intelligence resonates with older adult participants' concerns about Jibo as an active communicator with considerable intelligence. After watching a promotion video for Jibo [1], Kathleen said:

The message of this video to me is "Jibo loves you" No. Jibo doesn't love you. It is a piece of technology; it does not love. And... so... I mean. It's cute. I think it has some application. But... hmm... I don't know. For me, in particular, it will be very dangerous. Because if I have one in my house, being a person who is alone, I could start talking to it. And "Oh. Jibo is my friend." No. Jibo is not my friend. It's so easy to fall into that mindset. So for philosophical reasons, I disapprove of Jibo. I don't want Jibo in my home. (Laugh). I like my robots to be robots.

4.3.2 Modular Robots for Personalization. Scott, a researcher participant, suggested modular robots that understand the heterogeneity and comprehensiveness of aging. The participant wanted to reflect a more holistic understanding of aging into robot design. For example, the robots should aim to enhance older adults' resilience rather than to provide compensation for potential disabilities as a way to fix the disabilities. He explained his robot as follows:

The issue here that it would take "a whole person approach" to assessing the person. Um... they have purpose for their lives ... given their level of capacity. So, I think the robots would think like geriatricians... they would have a pretty holistic, broad view of older adults and then map recommendations based on what they are doing. So, I think it would do a host of different things: it might have different modules, for example, different actions or maybe it's a collection of different robots that provide assistance. (Scott, M, clinical psychologist with over 15 years experience)

Another researcher participant, Tammy, wanted a modular robot that would allow participants to personalize their robots based on their own needs. She wanted older adults to have choices to determine the robot's appearance, personality, and functions, which she assumes will be different depending on the person. She explained her robot as follows:

So it can be personalized into anything. I want a dog, but someone might want some alien-looking robot. It can be cute. It can be a Pokemon-like. Whatever it is, it can be your companion, but not a typically talking companion, but other sounds it can make. (Tammy, F, geriatrician with over 20 years experience)

Since she acknowledged that not every part can be personalized, she thinks a modular robot would work for the personalization. She also thinks that this personalization can support older adults' independence in that they have choices in shaping robot design.

4.3.3 Robots Supporting an Existing Ability. Cynthia, a research participant, suggested creating robots that support older adults' existing abilities and relationships. The participant envisioned a robot that can manage and maintain cats; in particular, robotic cat litter changers. Rather than developing pet-like robots, the pet management robots support older adults' existing abilities to maintain existing relationships with their own pets. She said:

One of the big challenges that my mother has had is changing the kitty litter. She depends on the cat for the social interaction at home; the cats are really good to her. She is out there with people but when she is home, she really enjoys spending her time with the cat. And after she fractured her hip she couldn't change the litter. So she tried to hire a home health aide but they wouldn't change the kitty litter because they were there to help her. She really needed the help with the kitty litter. I think it will be great to have a robot that can change the kitty litter and take care of the cat. (Cynthia, F, epidemiologist with over 30 years experience)

Supporting older adults' existing abilities can represent the idea that the aging researchers perceive older adults not as people to be fixed but rather people with abilities. Since older adults are considered to be people with abilities, aging researchers' main goals include helping them maintain their existing abilities. On the other hand, in the previous HRI studies, compensation for potential disabilities has been an important issue owing to the studies' focus on potential disabilities.

4.3.4 Robot Connected with Other Sensors. Older adult participants wanted robots that were connected to other types of sensors and that would manage, analyze, and report the sensor data. Jean (F, manager, 65) had incurable neurological diseases and wanted to monitor herself, especially for notifying her about "observed changes in everyday behavior." She also wanted a robot to be able to speak for her if she lost her voice, and she envisioned that the robot would be like Romeo [3]. Although she thought a Romeo-like robot would work well for her, she wanted to monitor herself through a smartwatch that could sense her wherever she goes. She did not want her robot to follow her around and observe her all the time.

I am going to wear the sensors like watch, pendant, or whatever wearable devices that I have. I don't like my robot to follow me around. If my heart stops for two seconds, then it says "Oh. She is not supposed to do that. What am I going to do?" So. It would be nice if the robot through this pendent or whatever could talk to me."

She made a joke that she expected her robot to stay in a closet all the time (even while the robot recognizes her experiencing an abnormal heart rhythm) unless she commands the robot to come out.

As for the monitoring functions, all older adult participants preferred wearable sensor devices over the robots, since they felt that the robots might be watching them. Not only the older adults, but also Scott, a researcher participant (M, clinical psychologist with 15 years experience) thought that a technology that could stay with older adults all the time would work well. While talking about a robot that could always be with older adults, Scott and the first author sketched a small mobile robot sitting on an older adult's shoulder. He called this a parrot-like robot and thought it was strange. He said that older adults are actually not very different from us and having a parrot robot on their shoulders did not seem very normal. Rather than having a portable robot, he thought a robot could stay at home but it could be connected to the older adults through a wearable watch.

4.3.5 Other Robots. Participants also envisioned other types of robots. Cynthia (F, epidemiologist with over 20 years experience) wanted robotic appliances that could indirectly monitor older adults' situations. For example, she suggested a gas stove that could detect humans around it and automatically turn off if needed, as well as a refrigerator that would report to a caregiver if an older adult did not open the door for long periods. Also, William (M, retired, 75) said that he did not think older adults could individually afford these robots considering their financial situations. He suggested that robot designers could think about robots for a community or an organization so that the robots could be shared by a group of older adults.

5 DISCUSSION

We found that both older adults and aging researchers explained that aging is related to biological changes (e.g., physical and cognitive declines). However, those changes narrowly describe aging. All participants also suggested alternative robots for aging. In this section, we discuss how the perspectives of our participants could reflect back to HRI research practices so that the current conceptualization of aging in HRI can be reframed.

5.1 Adopting a Social Model of Aging Can Provide an Alternative Approach to Reframe Assistive Robots

Throughout our interviews, we found two different attitudes toward older adults' disabilities. All participants, both older adults and aging researchers, reported potential issues related to aging (e.g., physical and cognitive declines) throughout the interview process. For example, the older adults' maps contained words describing their memory loss and physical difficulties as well as their frustrations due to the changes; aging researchers also talked about potential disabilities from aging (e.g., unable to perform ADLs). However, at the same time, both groups of participants expressed how aging is a more complex experience and that age-related changes and potential disability caused by those changes are just one aspect of the aging experience.

Considering the complexity of aging, assistive robot design needs an alternative framework to study aging. Most of the previous assistive robot designs, following the deficit model of aging, generated designs that remind older adults about their losses. A social model of aging provides an interesting framework in that it defines older adults not as people with dysfunctions but as people socially oppressed owing to productivity-oriented social capitalism [5]. The early version of social model did not consider older adult's biological conditions since it pointed out social systems (e.g., welfare systems, health care policies) as the main problems causing disabilities [5].

Our results suggest that HRI researchers should consider incorporating a social model of disability that addresses the importance of both biological age-related changes and the social dimensions

of disability [5]. Based on the model, we suggest older adults' autonomy as a way to reflect on both the biological and social dimensions of aging in HRI research.

5.2 Human Autonomy as a Main Theme

As a way to reflect the social model of aging, we suggest exploring older adults' autonomy as a main theme for assistive robot design. Older adults' autonomy enables HRI researchers to explore both biological and social dimensions of aging, since older adults can experience their autonomy both through their biological abilities and through social systems. In previous assistive robot studies, researchers discussed the importance of independent living similarly to autonomy. However, most of the studies defined independent lives in relation to older adults' ability to stay in their home [9, 21, 30].

We define autonomy as how much older adults feel in control over their lives, how many decisions they can make about their care, and to what degree [32]. To support older adults' autonomy, older adults should have enough control over robots. For example, older adults should have a right to turn robots completely off when they want. Also, both older adults and aging researcher participants said that robots should respect older adults' decisions even when the decisions might not necessarily improve older adults' health (e.g., not taking drugs). For example, Barbara (F, retired, 85) said that robots should support euthanasia if older adults decide it for themselves. This raises fascinating ethical issues that are worthy of further exploration [63, 64].

5.3 Importance of HRI Researchers' Reflexivity to Challenge Ageism

Along with racism and sexism, ageism is one of the most prevalent forms of prejudice and discrimination that marginalized populations experience [52, 56]. In a broader sense, the deficit model of aging reflected in current assistive robot designs could be not just a design problem within HRI that hinders older adults' adoption of robots. As older adults have been represented as people with potential disabilities in assistive robot designs, assistive robots could propagate the message that aging is a problem for older adults (and to the public) and potentially reinforce ageism in society. HRI researchers might think that their technology-oriented robotics research is essentially neutral. However, in some cases, unexamined assumptions and biases of technology researchers could contribute to affirm prejudice or discrimination in society [38, 47, 64].

Considering the potential influence of robotics research on sociopolitical issues, we, HRI researchers, are both exploring innovative technologies and propagating certain messages to society. This is why it is important for HRI researchers to pay attention not only to investigating technically advanced robots but also incorporating socially conscious perspectives (or messages) in their work. This article considers the potential social impact of robotics research as an exciting opportunity to promote positive social change. For example, incorporating older adults' perspectives into assistive robot designs could lead to the development of robots far better suited to assist those who are aging. Moreover, the research process itself could work as a way to advocate for older adults' points of views and to subvert beliefs of ageism.

Anthropologists have found that inappropriately representing research subjects could reinforce existing (or generate new) prejudice and discrimination against those subjects [48]. To avoid this issues, anthropologists have long addressed the importance of "reflexivity," which suggests that researchers examine potential biases and assumptions they may have regarding their research subjects.

Technology design researchers also have employed reflexivity as a way to avoid reflecting their biases regarding research subjects. For example, Suchman [73] describes a project involving prototyping new technologies in a law firm. The attorneys planned to have technology that could perform the coding tasks performed by litigation support workers. The attorneys (mostly men)

interpreted the work of support workers (mostly women) as mindless and wanted to save money through this new technology system. However, with a reflexive research procedure, the designers found that the support workers' labor was stereotyped and ignored. Consequently, the design researchers were able to show the values of the support workers and instead designed technologies for the support work. Our work suggests that reflexivity provides HRI researchers new opportunities to avoid potential biases so that they could develop robots promoting positive social changes.

6 CONCLUSION

In previous assistive robot studies, researchers mostly followed a deficit model of aging, which considers aging as a process of losses. The deficit model of aging is the dominant framework of aging in HRI research, and might have limited the design of assistive robots, casting them into two categories: semi-humanoid service robots in the home and pet-like companion robots. Also, older adults negatively reacted to previous assistive robots since they did not like their representations as people with disabilities in assistive robot designs. In this study, we found that while aging is closely related to potential disabilities, disability is just one aspect of the experience of aging. Following a social model of aging, we suggest the importance of older adults' autonomy as a promising design concept for assistive robots. Also, rather than calling the robots "assistive robots," which assumes that older adults need "assistance" owing to their possible disabilities, we instead consider how the robots can support human autonomy, that is, "robots to support successful aging."

ACKNOWLEDGMENTS

The authors thank Selma Šabanović for her guidance for the earlier version of this study and all of our participants for their insightful comments, ideas, and inspiration.

REFERENCES

- [1] Jibo. 2018. Meet Jibo. Retrieved April 23, 2018 from <https://www.jibo.com/>.
- [2] Relay. 2018. Meet Relay. Retrieved April 23, 2018 from <http://www.savioko.com/>.
- [3] Romeo. 2018. What is the Romeo Project? Retrieved April 23, 2018 from <https://www.ald.softbankrobotics.com/en/robots/romeo>.
- [4] WowWee. MiP. 2018. Retrieved April 23, 2018 from <http://wowwee.com/mip/>.
- [5] Dimitris Anastasiou and James M. Kauffman. 2013. The social model of disability: Dichotomy between impairment and disability. *The Journal of Medicine and Philosophy: A Forum for Bioethics and Philosophy of Medicine* 38, 4, 441–459.
- [6] Gerard F. Anderson and Peter Sotir Hussey. 2000. Population aging: A comparison among industrialized countries. *Health Affairs* 19, 3, 191–203.
- [7] Katherine J. Bangen, Thomas W. Meeks, and Dilip V. Jeste. 2013. Defining and assessing wisdom: A review of the literature. *The American Journal of Geriatric Psychiatry: Official Journal of the American Association for Geriatric Psychiatry* 21, 12, 1254–1266. DOI : <http://dx.doi.org/10.1016/j.jagp.2012.11.020>
- [8] Karen Barad. 2007. *Meeting the Universe Halfway: Quantum Physics and the Entanglement of Matter and Meaning*. Duke University Press, Durham, NC.
- [9] Jenay M. Beer, Cory-Ann Smarr, Tiffany L. Chen, Akanksha Prakash, Tracy L. Mitzner, Charles C. Kemp, and Wendy A. Rogers. 2012. The domesticated robot: Design guidelines for assisting older adults to age in place. In *Proceedings of the 7th Annual ACM/IEEE International Conference on Human-Robot Interaction*. ACM, Boston, MA, USA, 335–342. DOI : <http://dx.doi.org/10.1145/2157689.2157806>
- [10] Jenay M. Beer and Leila Takayama. 2011. Mobile remote presence systems for older adults: Acceptance, benefits, and concerns. In *Proceedings of the 6th International Conference on Human-Robot Interaction (HRI'11)*. ACM, New York, NY, USA, 19–26. DOI : <http://dx.doi.org/10.1145/1957656.1957665>
- [11] Momotaz Begum, Rosalie Wang, Rajibul Huq, and Alex Mihailidis. 2013. Performance of daily activities by older adults with dementia: The role of an assistive robot. In *IEEE International Conference on Rehabilitation Robotics (ICORR '13)*. IEEE, 1–8.
- [12] Francesc Borrell-Carrió, Anthony L. Suchman, and Ronald M. Epstein. 2004. The biopsychosocial model 25 years later: Principles, practice, and scientific inquiry. *Annals of Family Medicine* 2, 6, 576–582.

- [13] E. Broadbent, R. Stafford, and B. MacDonald. 2009. Acceptance of healthcare robots for the older population: Review and future directions. *International Journal of Social Robotics* 1, 4, 319–330. <http://dx.doi.org/10.1007/s12369-009-0030-6>
- [14] Joost Broekens, Marcel Heerink, and Henk Rosendal. 2009. Assistive social robots in elderly care: A review. *Geronotechnology* 8, 2, 94–103.
- [15] Praminda Caleb-Solly, Sanja Dogramadzi, David Ellender, Tina Fear, and Herjan van den Heuvel. 2014. A mixed-method approach to evoke creative and holistic thinking about robots in a home environment. In *Proceedings of the 2014 ACM/IEEE International Conference on Human-Robot Interaction*. ACM, Bielefeld, Germany, 374–381. DOI: <http://dx.doi.org/10.1145/2559636.2559681>
- [16] Kathy Charmaz. 2014. *Constructing Grounded Theory*. Sage Publications, Thousand Oaks, CA.
- [17] Beenish M. Chaudhry, Christopher Schaeffbauer, Ben Jelen, Katie A. Siek, and Kay Connelly. 2016. Evaluation of a food portion size estimation interface for a varying literacy population. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*. ACM, 5645–5657.
- [18] Adele E. Clarke, Carrie Friese, and Rachel S. Washburn. 2017. *Situational Analysis: Grounded Theory After the Interpretive Turn*. Sage Publications, Thousand Oaks, CA.
- [19] Dana S. Dunn and Erin E. Andrews. 2015. Person-first and identity-first language: Developing psychologists' cultural competence using disability language. *American Psychologist* 70, 3, 255.
- [20] D. Feil-Seifer and M. J. Mataric. 2005. Defining socially assistive robotics. In *9th International Conference on Rehabilitation Robotics (ICORR'05)*. 465–468. DOI: <http://dx.doi.org/10.1109/ICORR.2005.1501143>
- [21] David Fischinger, Peter Einramhof, Konstantinos Papoutsakis, Walter Wohlkinger, Peter Mayer, Paul Panek, Stefan Hofmann, Tobias Koertner, Astrid Weiss, Antonis Argyros, and Markus Vincze. 2014. Hobbit, a care robot supporting independent living at home: First prototype and lessons learned. *Robotics and Autonomous Systems* 75, Part A, 60–78.
- [22] Priska Flandorfer. 2012. Population ageing and socially assistive robots for elderly persons: The importance of sociodemographic factors for user acceptance. *International Journal of Population Research* 2012, 13. DOI: <http://dx.doi.org/10.1155/2012/829835>
- [23] Jodi Forlizzi, Carl DiSalvo, and Francine Gemperle. 2004. Assistive robotics and an ecology of elders living independently in their homes. *Human-Computer Interaction* 19, 1, 25–59. DOI: http://dx.doi.org/10.1207/s15327051hci1901&2_3
- [24] Bill Gaver, Tony Dunne, and Elena Pacenti. 1999. Design: Cultural probes. *Interactions* 6, 1, 21–29.
- [25] E. George and L. Engel. 1980. The clinical application of the biopsychosocial model. *American Journal of Psychiatry* 137, 535–544.
- [26] Sebastian Glende, Isabel Conrad, Livia Krezdorn, Susann Klemcke, and Carola Krätzel. 2015. Increasing the acceptance of assistive robots for older people through marketing strategies based on stakeholder needs. *International Journal of Social Robotics* 8, 3 (2015), 355–369. DOI: <http://dx.doi.org/10.1007/s12369-015-0328-5>
- [27] C. Granata, M. Pino, G. Legouverneur, J.-S. Vidal, P. Bidaud, and A.-S. Rigaud. 2013. Robot services for elderly with cognitive impairment: Testing usability of graphical user interfaces. *Technology and Health Care* 21, 3, 217–231.
- [28] H. Gross, C. Schroeter, S. Mueller, M. Volkhardt, E. Einhorn, A. Bley, C. Martin, T. Langner, and M. Merten. 2011. Progress in developing a socially assistive mobile home robot companion for the elderly with mild cognitive impairment. In *IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS'11)*. 2430–2437. DOI: <http://dx.doi.org/10.1109/IROS.2011.6094770>
- [29] Marcel Heerink, Ben Kröse, Vanessa Evers, and Bob Wielinga. 2010. Assessing acceptance of assistive social agent technology by older adults: The almere model. *International Journal of Social Robotics* 4 (dec 2010), 361–375. DOI: <http://dx.doi.org/10.1007/s12369-010-0068-5>
- [30] Marcel Heerink, Ben Kröse, Vanessa Evers, and B. J. Wielinga. 2008. The influence of social presence on acceptance of a companion robot by older people. *Journal of Physical Agents* 2, 2, 33–40.
- [31] G. Hoffman, R. Kubat, and C. Breazeal. 2008. A hybrid control system for puppeteering a live robotic stage actor. In *17th IEEE International Symposium on Robot and Human Interactive Communication (Ro-Man'08)*. 354–359. DOI: <http://dx.doi.org/10.1109/ROMAN.2008.4600691>
- [32] Dilip V. Jeste and Colin A. Depp. 2010. Positive mental aging. *American Journal of Geriatric Psychiatry: Official Journal of the American Association for Geriatric Psychiatry* 18, 1, 1.
- [33] Dilip V. Jeste, Gauri N. Savla, Wesley K. Thompson, Ipsit V. Vahia, Danielle K. Glorioso, A'verria Sirkin Martin, Barton W. Palmer, David Rock, Shahrokh Golshan, Helena C. Kraemer, and Colin A. Depp. 2013. Older age is associated with more successful aging: Role of resilience and depression. *American Journal of Psychiatry* 170, 2, 188–196. DOI: <http://dx.doi.org/10.1176/appi.ajp.2012.12030386>
- [34] Stephen Katz. 2000. Busy bodies: Activity, aging, and the management of everyday life. *Journal of Aging Studies* 14, 2, 135–152.

- [35] Ralf Kittmann, Tim Fröhlich, Johannes Schäfer, Ulrich Reiser, Florian Weißhardt, and Andreas Haug. 2015. Let me introduce myself: I am Care-O-bot 4, a gentleman robot. *Mensch Und Computer 2015-Proceedings*.
- [36] Sarah Lamb. 2014. Permanent personhood or meaningful decline? Toward a critical anthropology of successful aging. *Journal of Aging Studies* 29, 41–52.
- [37] M. P. Lawton. 1990. Aging and performance of home tasks. *Human Factors* 32, 5, 527–536. DOI : <http://dx.doi.org/10.1177/001872089003200503>
- [38] Linda L. Layne, Sharra Louise Vostral, and Kate Boyer. 2010. *Feminist Technology*. Vol. 4. University of Illinois Press, Champaign, IL.
- [39] Amanda Lazar, Caroline Edasis, and Anne Marie Piper. 2017. A Critical Lens on Dementia and Design in HCI. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI'17)*. ACM, New York, NY, USA, 2175–2188. DOI : <http://dx.doi.org/10.1145/3025453.3025522>
- [40] Hee Rin Lee. 2017. *Collaborative Design for Intelligent Technologies*. Ph.D. Dissertation. Indiana University, Bloomington, IN.
- [41] Hee Rin Lee and Selma Šabanović. 2013. Weiser’s dream in the Korean home: Collaborative study of domestic roles, relationships, and ideal technologies. In *Proceedings of the 2013 ACM International Joint Conference on Pervasive and Ubiquitous Computing*. ACM, 637–646.
- [42] Hee Rin Lee, Selma Šabanović, Wan-Ling Chang, Shinichi Nagata, Jennifer Piatt, Casey Bennett, and David Hakken. 2017. Steps toward participatory design of social robots. In *Proceedings of the 2017 ACM/IEEE International Conference on Human-Robot Interaction*. 244–253. DOI : <http://dx.doi.org/10.1145/2909824.3020237>
- [43] Hee Rin Lee, Selma Sabanovic, and Erik Stolterman. 2014. Stay on the boundary: Artifact analysis exploring researcher and user framing of robot design. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, Toronto, Ontario, Canada, 1471–1474. DOI : <http://dx.doi.org/10.1145/2556288.2557395>
- [44] Hee Rin Lee, Selma Šabanović, and Erik Stolterman. 2016. How humanlike should a social robot be: A user-centered exploration. In *2016 AAAI Spring Symposium Series*.
- [45] Hee Rin Lee, JaYoung Sung, Selma Šabanović, and Joenghye Han. 2012. Cultural design of domestic robots: A study of user expectations in Korea and the United States. In *RO-MAN, 2012 IEEE*. IEEE, 803–808.
- [46] H. R. Lee, H. Tan, and S. Šabanović. 2016. That robot is not for me: Addressing stereotypes of aging in assistive robot design. In *25th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN'16)*. 312–317. DOI : <http://dx.doi.org/10.1109/ROMAN.2016.7745148>
- [47] Hee Rin Lee, Selma Šabanović, and Sonya S. Kwak. 2017. Collaborative map making: A reflexive method for understanding matters of concern in design research. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI'17)*. ACM, New York, NY, USA, 5678–5689. DOI : <http://dx.doi.org/10.1145/3025453.3025535>
- [48] George E. Marcus and Michael M. J. Fischer. 1999. *Anthropology as Cultural Critique: An Experimental Moment in the Human Sciences*. University of Chicago Press, Chicago, IL.
- [49] P. Marti, M. Bacigalupo, L. Giusti, C. Mennecozzi, and T. Shibata. 2006. Socially assistive robotics in the treatment of behavioural and psychological symptoms of dementia. In *1st IEEE/RAS-EMBS International Conference on Biomedical Robotics and Biomechanics (BioRob'06)*. 483–488. DOI : <http://dx.doi.org/10.1109/BIOROB.2006.1639135>
- [50] Mathy Mezey, Ethel Mitty, Sarah G. Burger, and Philip McCallion. 2008. Healthcare professional training: A comparison of geriatric competencies. *Journal of the American Geriatrics Society* 56, 9, 1724–1729.
- [51] Tracy L. Mitzner, Tiffany L. Chen, Charles C. Kemp, and Wendy A. Rogers. 2014. Identifying the potential for robotics to assist older adults in different living environments. *International Journal of Social Robotics* 6, 2, 213–227. DOI : <http://dx.doi.org/10.1007/s12369-013-0218-7>
- [52] Todd D. Nelson. 2005. Ageism: Prejudice against our feared future self. *Journal of Social Issues* 61, 2, 207–221.
- [53] Louis Neven. 2010. ‘But obviously not for me’: Robots, laboratories and the defiant identity of elder test users. *Sociology of Health & Illness* 32, 2, 335–347. DOI : <http://dx.doi.org/10.1111/j.1467-9566.2009.01218.x>
- [54] Tadashi Odashima, Masaki Onishi, Kenji Tahara, Kentaro Takagi, Fumihiko Asano, Yo Kato, Hiromichi Nakashima, Yuichi Kobayashi, Toshiharu Mukai, and Zhiwei Luo. 2006. A soft human-interactive robot ri-man. In *IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 1.
- [55] World Health Organization. 1980. *International classification of impairments, disabilities, and handicaps*. Geneva, Switzerland.
- [56] Erdman Palmore. 1999. *Ageism: Negative and Positive*. Springer Publishing Company.
- [57] Andrea Parker, Vasudhara Kantroo, Hee Rin Lee, Miguel Osornio, Mansi Sharma, and Rebecca Grinter. 2012. Health promotion as activism: Building community capacity to effect social change. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 99–108.
- [58] A. Prakash, J. M. Beer, T. Deyle, C. A. Smarr, T. L. Chen, T. L. Mitzner, C. C. Kemp, and W. A. Rogers. 2013. Older adults’ medication management in the home: How can robots help? In *8th ACM/IEEE International Conference on Human-Robot Interaction (HRI'13)*. 283–290. DOI : <http://dx.doi.org/10.1109/HRI.2013.6483600>

- [59] Jennifer Reichstadt, Geetika Sengupta, Colin A. Depp, Lawrence A. Palinkas, and Dilip V. Jeste. 2010. Older adults' perspectives on successful aging: Qualitative interviews. *American Journal of Geriatric Psychiatry* 18, 7, 567–575.
- [60] Ulrich Reiser, Theo Jacobs, Georg Arbeiter, Christopher Parlitz, and Kerstin Dautenhahn. 2013. *Care-O-Bot® 3—Vision of a Robot Butler*, Lecture Notes in Computer Science, Vol. 7407, Springer, Berlin, 97–116.
- [61] Laurel D. Riek. 2015. Robotics technology in mental health care. *Artificial Intelligence in Behavioral and Mental Health Care*. 185–203.
- [62] L. D. Riek. 2017. Healthcare robotics. *Communications of the ACM* 60, 11 (2017), 68–78.
- [63] Laurel D. Riek, Woodrow Hartzog, Don A. Howard, A. Jung Moon, and Ryan Calo. 2015. The emerging policy and ethics of human robot interaction. In *HRI (Extended Abstracts)*. 247–248.
- [64] Laurel D. Riek and Don Howard. 2014. A code of ethics for the human-robot interaction profession. *Proceedings of We Robot*. 1–10.
- [65] Laurel D. Riek and Peter Robinson. 2011. Using robots to help people habituate to visible disabilities. In *IEEE International Conference on Rehabilitation Robotics (ICORR'11)*. IEEE, 1–8.
- [66] Hayley Robinson, Bruce MacDonald, and Elizabeth Broadbent. 2014. The role of healthcare robots for older people at home: A review. *International Journal of Social Robotics* 6, 4, 575–591.
- [67] C. Schroeter, S. Mueller, M. Volkhardt, E. Einhorn, C. Huijnen, H. van den Heuvel, A. van Berlo, A. Bley, and H. M. Gross. 2013. Realization and user evaluation of a companion robot for people with mild cognitive impairments. In *IEEE International Conference on Robotics and Automation (ICRA'13)*. 1153–1159. DOI : <http://dx.doi.org/10.1109/ICRA.2013.6630717>
- [68] Dylan Schwesinger, Armon Shariati, Corey Montella, and John Spletzer. 2017. A smart wheelchair ecosystem for autonomous navigation in urban environments. *Autonomous Robots* 41, 3, 519–538. DOI : <http://dx.doi.org/10.1007/s10514-016-9549-1>
- [69] U.S. Social Security Administration. 2018. Popular Baby Names By Year. Retrieved April 23, 2018 from <https://www.ssa.gov/oact/babynames/decades/>.
- [70] Aparna Shankar, Anne McMunn, James Banks, and Andrew Steptoe. 2011. Loneliness, social isolation, and behavioral and biological health indicators in older adults. *Health Psychology* 30, 4, 377.
- [71] Richard Simpson, Edmund LoPresti, Steve Hayashi, Illah Nourbakhsh, and David Miller. 2004. The smart wheelchair component system. *Journal of Rehabilitation Research and Development* 41, 3B, 429.
- [72] Cory-Ann Smarr, Akanksha Prakash, Jenay M. Beer, Tracy L. Mitzner, Charles C. Kemp, and Wendy A. Rogers. 2012. Older adults' preferences for and acceptance of robot assistance for everyday living tasks. In *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, Vol. 56. SAGE Publications, Los Angeles, CA, 153–157.
- [73] Lucy Suchman. 1995. Making work visible. *Communications of the ACM* 38, 9, 56–64.
- [74] Masaaki Tanaka, Akira Ishii, Emi Yamano, Hiroki Ogikubo, Masatsugu Okazaki, Kazuro Kamimura, Yasuharu Konishi, Shigeru Emoto, and Yasuyoshi Watanabe. 2012. Effect of a human-type communication robot on cognitive function in elderly women living alone. *Medical Science Monitor: International Medical Journal of Experimental and Clinical Research* 18, 9, CR550.
- [75] A. Tapus, M. J. Mataric, and B. Scasselati. 2007. Socially assistive robotics [grand challenges of robotics]. *Robotics & Automation Magazine, IEEE* 14, 1, 35–42. DOI : <http://dx.doi.org/10.1109/MRA.2007.339605>
- [76] United Nations. 2015. *World Population Ageing 2015*. New York, NY, 1–32 pages.
- [77] John Vines, Rachel Clarke, Peter Wright, John McCarthy, and Patrick Olivier. 2013. Configuring participation: On how we involve people in design. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, Paris, France, 429–438. DOI : <http://dx.doi.org/10.1145/2470654.2470716>
- [78] Astrid Weiss, Jenay Beer, Takanori Shibata, and Markus Vincze. 2014. Socially assistive robots for the aging population: Are we trapped in stereotypes? In *Proceedings of the 2014 ACM/IEEE International Conference on Human-Robot Interaction*. ACM, Bielefeld, Germany, 497–498. DOI : <http://dx.doi.org/10.1145/2559636.2560022>
- [79] Ya-Huei Wu, Victoria Cristancho-Lacroix, Christine Fassert, Véronique Faucounau, Jocelyne de Rotrou, and Anne-Sophie Rigaud. 2014. The attitudes and perceptions of older adults with mild cognitive impairment toward an assistive robot. *Journal of Applied Gerontology* 35, 1, 3–17. DOI : <http://dx.doi.org/10.1177/0733464813515092>
- [80] Ya-Huei Wu, Christine Fassert, and Anne-Sophie Rigaud. 2012. Designing robots for the elderly: Appearance issue and beyond. *Archives of Gerontology and Geriatrics* 54, 1, 121–126. DOI : <http://dx.doi.org/10.1016/j.archger.2011.02.003>

Received November 2017; accepted February 2018